

Application No. 10/032,336

CLAIM AMENDMENTS

A complete listing of all claims in the application is provided below. After each claim number, the status of each claim is indicted in a parenthetical expression. The text of each claim under examination (with markings to show current changes) is also presented.

Claims

1. Previously cancelled.
2. Previously cancelled.
3. Previously cancelled.
4. Previously cancelled.
5. Previously cancelled.
6. Previously cancelled.

7. (Currently Amended) A raisable window treatment sized to fit substantially over a window opening, the window treatment capable of being raised or lowered without the use of draw strings, the window treatment comprising:

- (i) three to five rows of buttons horizontally positioned along the window treatment; each row of buttons is spaced apart from the other rows of buttons;
- (ii) a row of loops extending horizontally along the window treatment;
- (iii) [[(ii)]] each row of buttons adapted for fastening onto [[a]] the row of loops for removably securing at least a lower portion of the window

Application No. 10/032,336

treatment in a raised position while the window treatment is positioned over the window opening;

- (iv) ~~[[(iii)]]~~ a suspending sleeve for receiving a rod therethrough to suspend the window treatment over the window opening; the suspending sleeve is positioned along a top portion of the window treatment;
- (v) ~~[[(iv)]]~~ the window treatment is in a raised position when at least one row of buttons is fastened to the row of loops, thereby causing a portion of the window treatment to be removably secured in the raised position while the window treatment is positioned over the window opening; and
- (vi) ~~[[(v)]]~~ the fastening of at least one row of buttons onto the row of loops is the only means by which the window treatment is removably secured in a raised position while the window treatment is positioned over the window opening.

8. (Currently Amended) A raisable window treatment sized to fit substantially over a window opening, the window treatment capable of being raised or lowered without the use of draw strings, the window treatment comprising:

- (i) three to five rows of loops horizontally positioned along the window treatment; each row of loops spaced apart from the other rows of loops;
- (ii) a row of buttons extending horizontally along the window treatment;
- (iii) ~~[[(ii)]]~~ each row of loops adapted for fastening onto [a] the row of buttons for removably securing at least a lower portion of the window treatment in

Application No. 10/032,336

a raised position while the window treatment is positioned over the window opening;

- (iv) ~~[[iii]]~~ a suspending sleeve for receiving a rod therethrough to suspend the window treatment over the window opening; the suspending sleeve is positioned along a top portion of the window treatment;
- (v) ~~[[iv]]~~ the window treatment is in a raised position when at least one row of loops is fastened onto the row of buttons, thereby causing a portion of lower portion of the window treatment to be removably secured in the raised position while the window treatment is positioned over the window opening; and
- (vi) ~~[[v]]~~ the fastening of the row of buttons to [the] at least one row of loops is the only means by which the window treatment is removably secured in a raised position while the window treatment is positioned over the window opening.

9. (Currently Amended) A raisable window treatment sized to fit substantially over a window opening, the window treatment capable of being raised or lowered without the use of draw strings, the window treatment comprising:

- (i) a fabric panel; the fabric panel having a first face and second face;
- (ii) a row of loops and three to five rows of buttons; the loops in the row~~[[s]]~~ of loops are adapted for fastening onto the buttons in the three to five rows of buttons for removably securing at least a portion of the window

Application No. 10/032,336

treatment in a raised position while the window treatment is positioned over the window opening;

- (iii) the row[[s]] of loops extending horizontally along the first face of the fabric panel; the three to five rows of buttons extending horizontally along the first face of the fabric panel;
- (iv) a suspending sleeve for receiving a rod therethrough to suspend the window treatment over the window opening; the suspending sleeve is positioned along a top portion of the window treatment;
- (v) the window treatment is in a raised position when at least one row of buttons is fastened to the row of loops, thereby causing a lower portion of the window treatment to be removably secured in the raised position while the window treatment is positioned over the window opening; and
- (vi) the fastening of the at least one row of buttons to the [[one]] the row of loops is the only means by which the window treatment is removably secured in a raised position while the window treatment is positioned over the window opening.

10. (Previously Presented) The window treatment of claim 8, wherein the at least ~~one~~ row of buttons is arranged horizontally at a location which is about 0 to about 12 inches from a top edge of the window treatment.

11. (Cancelled).

12. (Cancelled).

Application No. 10/032,336

13. (Previously Presented) The window treatment of claims 7 or 9, wherein the window treatment comprises three rows of buttons; the three rows of buttons are positioned to permit the lower portion of the window treatment to be raised at least at three different lengths when the first, second or third row of buttons is fastened to the row of loops.

14. (Previously Presented) The window treatment of claim 8 [[12]], wherein the window treatment comprises three rows of loops, the three rows of loops are positioned to permit the lower portion of the window treatment to be raised at least at three different lengths when the first, second or third row of loops is fastened to the row of buttons.

15. (Previously Presented) A raisable window treatment sized to fit substantially over a window opening, the window treatment capable of being raised or lowered without the use of draw strings, the window treatment comprising:

- (i) a row of buttons and at least one row of loops for removably securing at least a portion of the window treatment in a raised position while the window treatment is positioned over the window opening;
- (ii) the row of buttons is affixed to the window treatment along an upper portion of the window treatment;
- (iii) the at least one row of loops is positioned along a lower portion of the window treatment;
- (iv) the loops in the at least one row of loops are adapted for fastening onto the buttons in the row[[s]] of buttons;
- (v) the window treatment is in a raised position when the row of buttons is fastened onto at least one row of loops, thereby causing the lower portion

Application No. 10/032,336

- of the window treatment to be removably secured in the raised position while the window treatment is positioned over the window opening; and
- (vi) the fastening of the row of buttons onto at least one row of loops is the only means by which the lower portion of the window treatment is removably secured in a raised position while the window treatment is positioned over the window opening.

16. (Currently Amended) The window treatment of claim 15, wherein the at least one row of buttons is arranged horizontally at a location which is about 0 to about 12 inches from the top edge of the window treatment.

17. (Previously Presented) The window treatment of claim 15, further comprising a suspending sleeve for receiving a rod therethrough to suspend the window treatment over the window opening; the suspending sleeve is positioned along the top of the window treatment.

18. (Previously Presented) The window treatment of claim 15, further comprising multiple rows of loops; the multiple rows of loops are horizontally spaced relative to each other.

19. (Previously Presented) A raisable window treatment sized to fit substantially over a window opening, the window treatment capable of being raised or lowered without the use of draw strings, the window treatment comprising:

- (i) a row of loops and at least one row of buttons for removably securing at least a portion of the window treatment in a raised position while the window treatment is positioned over the window opening;

Application No. 10/032,336

- (ii) the row of loops is affixed to the window treatment along an upper portion of the window treatment;
- (iii) the at least one row of buttons is positioned along a lower portion of the window treatment;
- (iv) the loops in the row of loops are adapted for fastening onto the buttons in the at least one row of buttons;
- (v) the window treatment is in a raised position when at least one row of buttons is fastened onto the row of loops, thereby causing the lower portion of the window treatment to be removably secured in the raised position while the window treatment is positioned over the window opening; and
- (vi) the fastening of the at least one row of buttons onto the [[one]] row of loops is the only means by which the lower portion of the window treatment is removably secured in a raised position while the window treatment is positioned over the window opening.

20. (Currently Amended) A raisable window treatment sized to fit substantially over a window opening, the window treatment capable of being raised or lowered without the use of draw strings, the window treatment comprising:

- (i) a row of buttons and three rows of loops for removably securing at least a portion of the window treatment in a raised position while the window treatment is positioned over the window opening;

Application No. 10/032,336

- (ii) the row of buttons is affixed to the window treatment along an upper portion of the window treatment; the row of buttons extending horizontally across the upper portion of the window treatment;
- (iii) the ~~at least one~~ three rows of loops are positioned below the row of buttons; each row of loops extends horizontally across the window treatment, and each row of loops is spaced apart from the other rows of loops;
- (iv) the loops in ~~the at least one~~ each row of loops is adapted for fastening onto the buttons in the row of buttons thereto;
- (v) the window treatment is in a raised position when the row of buttons is fastened onto at least one row of loops, thereby causing a lower portion of the window treatment to be removably secured in the raised position while the window treatment is positioned over the window opening; and
- (vi) the fastening of the row of buttons onto at least one row of loops is the only means by which the lower portion of the window treatment is removably secured in a raised position while the window treatment is positioned over the window opening.

21. (Currently Amended) A raisable window treatment sized to fit substantially over a window opening, the window treatment capable of being raised or lowered without the use of draw strings, the window treatment comprising:

Application No. 10/032,336

- (i) a row of loops and three rows of buttons for removably securing at least a portion of the window treatment in a raised position while the window treatment is positioned over the window opening;
- (ii) the row of loops is affixed to the window treatment along an upper portion of the window treatment; the row of loops extending horizontally across the window treatment;
- (iii) the three rows of buttons are positioned below the row of loops; each row of buttons extending horizontally across the window treatment and each row of buttons is spaced apart from the other row of buttons;
- (iv) the loops in the rows of loops are adapted for fastening onto the buttons in the row of buttons;
- (v) the window treatment is in a raised position when the first, second or third row of buttons is fastened to the row of loops, thereby causing a lower portion of the window treatment to be removably secured in the raised position while the window treatment is positioned over the window opening; and
- (vi) the fastening of the first, second or third row of buttons to the [[one]] row of loops is the only means by which the lower portion of the window treatment is removably secured in a raised position while the window treatment is positioned over the window opening.

Application No. 10/032,336

22. (Currently Amended) The window treatment of claim 20, wherein the ~~at~~ least ~~one~~ row of buttons is arranged horizontally at a location which is about 0 to about 12 inches from the top edge of the window treatment.

23. (Currently Amended) The window treatment of claims ~~7, 8, 9~~, 15, 19, 20 or 21, further comprising a tab top suspending sleeve for suspending the window treatment in front of the window opening.

24. (Previously Presented) The window treatment of claim 20, further comprising a suspending sleeve for receiving a rod therethrough to suspend the window treatment over the window opening; the suspending sleeve is positioned along the top of the window treatment.

25. (Previously Presented) The window treatment of claim 21, further comprising a suspending sleeve for receiving a rod therethrough to suspend the window treatment over the window opening; the suspending sleeve is positioned along the top of the window treatment.

26. (Previously Presented) The window treatment of claim 20, wherein the three rows of loops horizontally spaced relative to each other.

27. (Previously Presented) The window treatment of claim 20, wherein the three rows of loops are positioned to permit the portion of the window treatment to be raised at least at three different lengths when the first, second or third row of buttons is fastened to the row of loops.

28. (Previously Presented) The window treatment of claim 21, wherein the three rows of buttons are positioned along the window treatment to permit the portion of the

Application No. 10/032,336

window treatment to be raised at least at three different lengths when the first, second or third row of buttons is fastened to the row of loops.

29. (New Claim) A raisable window treatment sized to fit substantially over a window opening, the window treatment capable of being raised or lowered without the use of draw strings, the window treatment comprising:

- (i) three to five rows of buttons horizontally positioned along the window treatment; each row of buttons is spaced apart from the other rows of buttons;
- (ii) a row of loops extending horizontally along the window treatment;
- (iii) each row of buttons adapted for fastening onto the row of loops for removably securing at least a lower portion of the window treatment in a raised position while the window treatment is positioned over the window opening;
- (iv) a tab top suspending sleeve for receiving a rod therethrough to suspend the window treatment over the window opening; the tab top suspending sleeve is positioned along a top portion of the window treatment;
- (v) the window treatment is in a raised position when at least one row of buttons is fastened to the row of loops, thereby causing a portion of the window treatment to be removably secured in the raised position while the window treatment is positioned over the window opening; and
- (vi) the fastening of at least one row of buttons onto the row of loops is the only means by which the window treatment is removably secured in a

Application No. 10/032,336

raised position while the window treatment is positioned over the window opening.

30. (New Claim) A raisable window treatment sized to fit substantially over a window opening, the window treatment capable of being raised or lowered without the use of draw strings, the window treatment comprising:

- (i) a fabric panel; the fabric panel having a first face and second face;
- (ii) a row of loops and three to five rows of buttons; the loops in the rows of loops are adapted for fastening onto the buttons in the three to five rows of buttons for removably securing at least a portion of the window treatment in a raised position while the window treatment is positioned over the window opening;
- (iii) the rows of loops extending horizontally along the first face of the fabric panel; the three to five rows of buttons extending horizontally along the first face of the fabric panel;
- (iv) a tab top suspending sleeve for receiving a rod therethrough to suspend the window treatment over the window opening; the tab top suspending sleeve is positioned along a top portion of the window treatment;
- (v) the window treatment is in a raised position when at least one row of buttons is fastened to the row of loops, thereby causing a lower portion of the window treatment to be removably secured in the raised position while the window treatment is positioned over the window opening; and

Application No. 10/032,336

- (vi) the fastening of the at least one row of buttons to the one row of loops is the only means by which the window treatment is removably secured in a raised position while the window treatment is positioned over the window opening.

31. (New Claim) A raisable window treatment sized to fit substantially over a window opening, the window treatment capable of being raised or lowered without the use of draw strings, the window treatment comprising:

- (i) three to five rows of loops horizontally positioned along the window treatment; each row of loops spaced apart from the other rows of loops;
- (ii) a row of buttons extending horizontally along the window treatment;
- (iii) each row of loops adapted for fastening onto the row of buttons for removably securing at least a lower portion of the window treatment in a raised position while the window treatment is positioned over the window opening;
- (iv) a tab top suspending sleeve for receiving a rod therethrough to suspend the window treatment over the window opening; the tab top suspending sleeve is positioned along a top portion of the window treatment;
- (v) the window treatment is in a raised position when at least one row of loops is fastened onto the row of buttons, thereby causing a portion of lower portion of the window treatment to be removably secured in the raised position while the window treatment is positioned over the window opening; and

Application No. 10/032,336

- (vi) the fastening of the row of buttons to the row of loops is the only means by which the window treatment is removably secured in a raised position while the window treatment is positioned over the window opening.

32. (New) The window treatment of claims 7, 8 or 9, wherein the suspending sleeve is a tab top.